
Panasonic



TOUGHBOOK 19

- 10.1" Convertible Tablet with Touch or Multi Touch + Digitizer Display
- Sunlight-viewable up to 6000 Nit in Direct Sunlight
- Full Magnesium Alloy Case with Hand Strap
- Shock-mounted Flex-connect Hard Drive with Quick-release
- Optional 4G LTE Multi Carrier Mobile Broadband with Satellite GPS







The first MIL-STD-810G certified tablet PC¹

RUGGED, LIGHTWEIGHT, WIRELESS AND CONVERTIBLE.

If you want a fully rugged, lightweight, wireless laptop that converts from a powerful notebook PC to a convenient tablet PC with one quick swivel, then the Toughbook® 19 is for you. The first tablet PC to be certified¹ for MIL-STD-810G and IP65, it features a full magnesium alloy case capable of withstanding a 6-foot drop¹—ideal for working in challenging environments and mission-critical situations. At only five pounds, it's good on the go with a hand strap, Wi-Fi, a brilliant LED screen capable of up to 6000 nit in direct sunlight, and optional embedded 4G LTE multi carrier mobile broadband with satellite GPS. Additionally, the Toughbook 19 is available with two display options, both allowing you to touch the screen with or without gloves.



Panasonic recommends Windows.

SOFTWARE	 Windows® 7 Professional, Windows® 8.1 Pro Panasonic Utilities, Panasonic Dashboard, Recovery Partition 		
DURABILITY	MIL-STD-810G certified (6' drop, shock, vibration, rain, dust, sand, altitude, freeze/thaw, high/low temperature, temperature shock, humidity, explosive atmosphere)! MIL-STD-461F certified! IP65 certified sealed all-weather design! Optional class I division 2, groups ABCD certified model Hard drive heater Full magnesium alloy case with hand strap Shock-mounted flex-connect hard drive with quick-release Pre-installed replaceable screen film for LCD protection		
CPU ²	 Intel® Core™ i5-3610ME vPro™ Processor - 2.7GHz with Turbo Boost up to 3.3GHz - 3MB cache 		
STORAGE & MEMORY	 4GB-16GB SDRAM [DDR3L-1333MHz]^{3,4} Shock-mounted flex-connect hard drive with quick-release 500GB 7200rpm hard drive with heater⁴ Optional 128GB and 256GB solid state drives (SSD) with heaters⁴ 		
DISPLAY	 10.1" XGA sunlight-viewable LED 1024 x 768 Resistive touchscreen 5-point resistive multi touch + digitizer TransflectivePlus and Panasonic CircuLumin" technology 1-6000 nit (depending on lighting conditions and settings)⁵ AR, AG and circular polarizer Ambient light sensor Intel® QM77 video controller, max. 1545MB shared VRAM with 32-bit³ External video support up to 1280 x 1024 at 16.7 million colors Concealed mode (configurable) 		
AUDIO	 Intel® high-definition audio compliant Integrated speaker Keyboard volume and mute controls 		
KEYBOARD & INPUT	 Touchscreen or multi touch + digitizer Integrated stylus holder 82-key with dedicated Windows® key Pressure-sensitive touchpad with vertical scrolling support 		
EXPANSION SLOTS	PC card type IISD card (SDXC)ExpressCard/54		
INTERFACE	■ Docking connector Dedicated 100-pin ■ VGA D-sub 15-pin ■ Headphones/speaker Mini-jack stereo ■ Microphone/line in Mini-jack stereo ■ Serial D-sub 9-pin ■ Ext. antenna conn. [x 2] 50 ohm coaxial ■ USB 3.0 [x 1], USB 2.0 [x 1] ■ IEEE 1394a [FireWire] 4-pin ■ 10/100/1000 Ethernet RJ-45		
WIRELESS	 Optional integrated 4G LTE multi carrier mobile broadband with satellite GPS Optional GPS (u-blox NEO-M8N) Intel® Centrino® Advanced-N 6235 802.11a/b/g/n Bluetooth® v4.0 + EDR (Class 1) Security Authentication: LEAP, WPA, 802.1x, EAP-TLS, EAP-FAST, PEAP - Encryption: CKIP, TKIP, 128-bit and 64-bit WEP, Hardware AES Dual high-gain antenna pass-through Stide on/off switch 		
POWER SUPPLY	 Lithium ion battery pack [10.65V, typical 5700mAh, minimum 5400mAh] Battery operation: 10 hours (touchscreen), 9.5 hours (multi touch + digitizer)⁶ Battery charging time: 3.5 hours⁶ AC Adapter: AC 100V-240V 50/60Hz, auto sensing/switching worldwide power supply 		
POWER MANAGEMENT	 Suspend/Resume Function, Hibernation, Standby, ACPI BIOS 		
SECURITY FEATURES	Password Security: Supervisor, User, Hard Disk Lock Kensington cable lock slot Trusted platform module [TPM] security chip v.1.2 Computrace® theft protection agent in BIOS? Intel® Anti-Theft Technology Optional fingerprint reader Optional insertable SmartCard reader		
WARRANTY	3-year limited warranty, parts and labor		
DIMENSIONS & WEIGHT	 8.5"(L) x 10.7"(W) x 1.9"(H) 5.1 lbs. 		

INTEGRATED OPTIONS8

- 4G LTE multi carrier mobile broadband with satellite GPS
- GPS (u-blox NEO-M8N)
- 5MP camera with auto focus and dual LED light⁹
- Backlit keyboard—sealed rubber or plastic emissive
 Insertable SmartCard reader
- Fingerprint reader
- HDD and battery lock
 128GB and 256GB solid state drives (SSD) with heaters

SELECT ACCESSORIES8 AC Adapter (3-prong)

	no naapter to prong,	01 7010000712111
	Battery Pack	CF-VZSU48U
	Battery Charger	CF-VCBTB2W
	LIND Car Adapter 120W	CF-LNDDC120
ı	LIND Car/AC Adapter 90W	
	(with USB port)	CF-LNDACDC90
	LIND Car Adapter 90W MIL-STD	CF-LNDMLDC90
ì	■ ToughMate ComUniversal Jr.	
	Carrying Case	TBCCOMUJR-P
ì	■ ToughMate Always-on 19 Case	TBC19A0CS-P
ì	■ ToughMate 19 "X" Hand Strap	TBC19XSTP-P
ì	Memory Card 4GB DDR3	CF-WMBA1304G
ì	Memory Card 8GB DDR3	CF-WMBA1308G
	Desktop Dock	CF-VEB191AU
	Vehicle Docks (no pass-through)	
	- Gamber-Johnson with LIND power supply	7160-0264-03-P
	- Havis with LIND power supply	CF-H-PAN-212-P
	■ Vehicle Docks (dual pass-through)	
	- Panasonic	CF-WEB194AC
	- Gamber-Johnson with LIND power supply	7160-0264-04-P
	- Havis with LIND power supply	CF-H-PAN-212-2-P
	Zebra 4" Bluetooth® Printer	PZ420BT
	Zebra 4" Bluetooth® Printer with MagStripe Reader	PZ420BTMC
	PDRC Backlit Keyboard	CF-VKBL03AM
	Dual Touch Replacement	
	Stylus (for Digitizer)	CF-VNP012U

CF-AA6503A2M

CF-VNP003U

CF-VNT002U

Please consult your reseller or Panasonic representative before purchasing.

Tested by national independent third party lab following ML-STD-810G Method 516.6 Procedure IV for transit drop test and IEC 60529 Sections 13.4, 13.6.2, 14.2.5 and 14.3 for IP65.

■ Touchscreen Replacement Stylus

'An Intel Core 17 processor is also available.

*Total usable memory will be less depending upon actual system configuration. Maximum of 46B of memory when equipped with camera. Windows 7 64-bit max. VRAM is 1696MB.

*16B = 1,000,000,000 bytes.

LCD Protector Film

Tether

500 nit without ambient light assistance. Up to 6000 nit in clear, sunny conditions under direct sunlight.

The unit window animent ugar assistance, up to obud int in clear, sumly conditions under direct subject for Battery performance features such as charge time and fill Espan can vary according to the conditions under which the computer and battery are used. Battery operation and recharge times will vary based on many factors, including screen hightness, applications, features, power management, battery conditioning and other customer preferences. Battery testing results from Mobilethark 2007.

Requires software and activation to enable theft protection.

*Accessories and Integrated Options may vary depending on your notebook configuration. Visit Panasonic website for more accessories and details.

Camera replaces the second memory slot located on the bottom of the PC.







